Audit for DVT ultrasound Scans

Prepared by Ibtisam Ali (Senior Vascular Scientist)

Introduction:

An audit for DVT scans was carried out for the period (1st January 2021 till 30th June 2021) in order to examine the number missed DVT when repeating the scan one week (after the first negative scan).

Methods:

- 1. Data were collected from DVT scans referred by TIU only.
- 2. SVT and Baker's cyst were regarded as additional or incidental findings.

Results:




Figure-1. January DVT scans

February DVT Scans




Figure-2. February DVT scans

March DVT Scans




Figure-3. March DVT scans

April DVT Scans




Figure-4. April DVT scans

May DVT Scans




Figure-5. May DVT scans

June DVT Scans




Figure-6. June DVT scans

Total Number of DVT Scans per Month




Figure-7. Total Number of DVT Scans over the first 6 months.




Figure 8. DVT Scans Results per month

Figure 8 shows the detailed results (or findings) of the DVT scanning, most of which were negative. The next Table-1 will give more details about the outcomes (results) of the scans.

Table-1. Total Number of DVT Scans over 6 month period

	DVT	DVT		Repeat DVT	Repeat DVT	No of Scans per
Month	Negative	Positive	Old DVT	Negative	Positive	month
January	86	12	10	3	0	111
February	79	16	9	23	2	129
March	63	11	2	9	0	85
April	34	7	6	3	0	50
May	77	12	2	5	0	96
June	91	15	8	19	0	133
Total No	430	73	37	62	2	604

Table 1 shows that over the 6-month period:

- > 430 (71.2%) scans were negative.
- > 73 (12.1%) scans were positive DVT.
- > 37 (6.1%) scans were old DVT.
- > Out of the 64 (10.6%) DVT repeat scans, 62 were negative and only 2 (0.3%) were repeat positive, over the 6-month period.

Table-2. Number of SVT and Baker's Cyst diagnosed over 6 month period

Month	No of Scans for DVT per month	SVT	Baker's Cyst
January	111	18	8
February	129	4	3
March	85	5	4
April	50	6	7
May	96	7	6
June	133	10	10
Total No Percentage	604 (100%)	50 (8.3%)	38 (6.13%)

Table-2 shows that in addition to the negative and positive DVT diagnoses, we also picked up 50 (8.3%) SVT and 38 (6.13%) Baker's cysts as an additional or incidental finding over the 6-month period.

*THANK YOU