

Reason	TIA clinic
Outcome	Widely patent

Right	Diameter (cm)	PSV (m/s)	EDV (m/s)	Stenosis
Common		1.06		< 25%
Plaque	Normal			
Disease length from BIF				
Bifurcation				< 25%
Plaque	Normal			
Disease length from BIF				
Internal		1.02		< 25%
Plaque	Normal			
Disease length from BIF		Pk ICA/Pk CCA = 1.0		
External		1.05		< 25%
Plaque	Normal			
Disease length from BIF				
Vertebral	Open Orthograde			
Subclavian	No Turbulence	Good Signal	Triphasic	Widely Patent

Left	Diameter (cm)	PSV (m/s)	EDV (m/s)	Stenosis
Common		1.38		< 25%
Plaque	Normal			
Disease length from BIF				
Bifurcation				< 25%
Plaque	Normal			
Disease length from BIF				
Internal		1.01		< 25%
Plaque	Normal			
Disease length from BIF		Pk ICA/Pk CCA = 0.7		
External		1.05		< 25%
Plaque	Normal			
Disease length from BIF				
Vertebral	Open Orthograde			
Subclavian	No Turbulence	Good Signal	Triphasic	Widely Patent

Stenosis based on NASCET velocity criteria.

Joint recommendations for reporting carotid ultrasound investigations in the United Kingdom'. Oates et al. Eur J Vasc Endovasc Surg. 2009 Mar;37(3):251-61

Notes

CAROTID DUPLEX ASSESSMENT

The right and left internal carotid arteries appear widely patent. No evidence of any plaque morphology, intimal dissection or other abnormality identified bilaterally.

Assessed by Rachel Johnson

Printed on 13/06/2019 at 11:53 am

Checked by _____