



Patient

NHS No

D.O.B.

Patient Ref

Reason

Routine


Outcome

Widely patent


## Right

130


1.00



Good




Good



Good

140

1.08



Good

Brachial

Common Femoral

High Thigh

Low Thigh

Popliteal

High Calf

Peroneal

Anterior Tibial

Posterior Tibial

Dorsalis Pedis

Toe Pressure

Post Exercise

## Left

Good

Good

Good

Good

Foot Flex

130

1.00

## Notes

## BILATERAL LOWER LIMB ARTERIAL PRESSURES &amp; WAVEFORMS / ABDOMINAL AORTA ASSESSMENT

Abdominal aorta is widely patent with good bi/triphasic waveforms and PSV 90cm/s. The abdominal aorta appears of normal calibre (maximum AP = 1.6cm), with no evidence of focal dilatation or aneurysm identified.

Good bi/triphasic waveforms detected in the right and left common femoral, popliteal, posterior tibial and

Assessed by

Lukasz Koprowski

Checked by



---

Patient

NHS No

D.O.B.

Patient Ref

---

anterior tibial arteries.

Bilateral, resting ABPIs are within normal limits, with no significant reduction in systolic ankle pressure observed following a one minute exercise challenge.

CONCLUSION: No evidence of significant arterial disease identified in the right or left lower limbs from this assessment.

---

Assessed by

Lukasz Koprowski

Checked by

---