

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

pt has swollen, painful legs.
biphasic dp and pt left and right
compression stockings class 1 supplied today, please scan to determine if any
intervention could be done

** Entered by Ordercomms **

Provisional Diagnosis: pt has swollen, painful legs.
biphasic dp and pt left and right
compression stockings class 1 supplied today, please scan to determine if any
intervention could be done

Clinical History :

US Doppler Veins Leg Rt [RDE26307383] :

CFV, PFV, FV, POP V patent and competent.

SFJ is patent and competent.

GSV into the thigh is patent and competent, measures 4.2mm to 5.6mm.

GSV below knee is patent and incompetent, measures 4.5mm to 4.6mm.

Boyd's Perforator (3.5mm) and Cockett's Perforator (3.2mm) is incompetent and drains
into the GSV below knee.

Ankle perforator is dilated, measures 3.5mm, however unable to establish any reflux,
SPJ and SSV is patent and competent.

GSV dimensions and configurations as per diagram, scanned to EVOLVE.

Event Number : E-25791201 Courier : Examination Date : **01-Oct-2022**
Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H
Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

Bi lateral varicose veins and leg swelling , please assess SV and DV and suitability for intervention

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral varicose veins and leg swelling , please assess SV and DV and suitability for intervention

Clinical History :

US Doppler Veins Leg Lt [RDE26306976] :

CFV, FV, POp V is patent and competent.

SFJ is patent and incompetent, refluxes into the AASV. AASV swings into the anterior later aspect of the mid thigh and drains into the more varices.

GSV is patent and competent SFJ - Knee.

Calf perforator ~15cm above the ankle is incompetent, measures 2.8mm.

Incompetent calf perforator drains into the GSV below knee.

GSV below Knee is patent and incompetent, measures 3.2-4.2mm.

SPJ is patent and incompetent, drains into the SSV, SSV measures 3.2mm to 4.2mm.

Dimensions and configurations of the AASV, GSV and SSV as per diagram, scanned to EVOLVE.

Event Number : E-25790828

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

Bi lateral leg swelling ? venous insufficiency ? lymphoedema

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral leg swelling ? venous insufficiency ? lymphoedema

Clinical History :

US Doppler Veins Leg Lt [RDE26350335] :

CFV, PFV, PV, POp v is patent and competent.

SFJ and GSV is patent and competent.

SPJ and SSV is patent and incompetent.

SSV measures 4.0-8.0mm.

Dimension and configuration as per diagram scanned to Evolve.

Event Number : E-25829575

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, CLACTON AND DISTRICT HOSPITAL, CLACTON AND DISTRICT H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

pt has swollen, painful legs.
biphasic dp and pt left and right
compression stockings class 1 supplied today, please scan to determine if any
intervention could be done

** Entered by Ordercomms **

Provisional Diagnosis: pt has swollen, painful legs.
biphasic dp and pt left and right
compression stockings class 1 supplied today, please scan to determine if any
intervention could be done

Clinical History :

US Doppler Veins Leg Lt [RDE26307384] :

CFV, PFV, FV, POP V is patent and competent.
SFJ is patent and incompetent, drains into the GSV.
GSV is patent and incompetent, measures 5.1mm to 6.7mm, drains into the varices into
the distal shin.
SPJ and SSV is patent and competent.
Dimension and configurations of the GSV as per diagram, scanned to EVOLVE.

Event Number : E-25791202

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

RT leg varicose vein with calf discolouration, ? suitable for intervention , please assess DV and SV

** Entered by Ordercomms **

Provisional Diagnosis: RT leg varicose vein with calf discolouration, ? suitable for intervention , please assess DV and SV

Clinical History :

US Doppler Veins Leg Rt [RDE26307385] :

CFV, FV, PFV, POP V is patent and competent.

SFJ and GSV is patent and competent.

SPJ and SSV is also patent and competent.

There is no sonographic evidence of any deep or superficial venous incompetence.

Event Number : E-25791203

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, CLACTON AND DISTRICT HOSPITAL, CLACTON AND DISTRICT H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

Bi lateral leg swelling ? venous insufficiency ? lymphoedema

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral leg swelling ? venous insufficiency ? lymphoedema

Clinical History :

US Doppler Veins Leg Rt [RDE26350334] :

CFV, PFV, FV, PV is patent and competent.

SFJ is patent and incompetent, refluxes into the AASV.

AASV measure 5.0-5.3mm into the thigh.

AASV drains into the GSV below knee, where a short segment of the GSV is incompetent and drains into the varices.

GSV below knee measures 2.4mm.

Mid calf perforator is incompetent, measures 4.0mm.

SPJ and SSV is patent and competent.

Dimension and configuration of the GSV and AASV as per diagram, scanned to EVOLVE.

Event Number : E-25829574

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, CLACTON AND DISTRICT HOSPITAL, CLACTON AND DISTRICT H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

Bi lateral varicose veins and leg swelling , please assess SV and DV and suitability for intervention

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral varicose veins and leg swelling , please assess SV and DV and suitability for intervention

Clinical History :

US Doppler Veins Leg Rt [RDE26305828] :

CFV, FV, PV is patent and competent.

SFJ is not present, which could be due to previous treatment?

There is recurrent GSV into the thigh shortly after the SFJ: which is tortous and incompetent, descends down to the knee and drains in more varices below knee, those varices run along the medial and later aspect of the calf.

SPJ is patent and competent.

SSV into the proximal segment is patent and competent.

SSV mid - distal is patent and incompetent; where there is varicose branch of the GSV drains into the SSV.

SSV measures 3.6-3.7mm mid to distal shin.

Event Number : E-25789794

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 01-Oct-2022
Typed By : Das Rajib Vascular Studies 01-Oct-2022

Clinical History :

Bilateral leg swelling and varicose veins, please assess SV and Dv prior to treatment

** Entered by Ordercomms **

Provisional Diagnosis: Bilateral leg swelling and varicose veins, please assess SV and Dv prior to treatment

Clinical History :

US Doppler Veins Leg Rt [RDE26305825] :

CVF, FV, POP v is patent and competent.

SFJ is patent and incompetent, drains into the GSV.

GSV 3.5mm to 6.2mm, dimensions as per diagram, scanned to EVOLVE.

GSV drains into the varices mostly below knee.

SPJ and SSV is patent and competent.

Calf perforator ~2.2mm above the ankle is incompetent, measures 2.2mm.

Event Number : E-25789791

Courier :

Examination Date : **01-Oct-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

visible varocose veins with varicose eczema, ? suitable for intervention

** Entered by Ordercomms **

Provisional Diagnosis: visible varocose veins with varicose eczema, ? suitable for intervention

Clinical History :

US Doppler Veins Leg Lt [RDE26307033] :

CFV, FV, POP V patent and competent.

SFJ patent and incompetent, refluxes into the GSV, GSV drains into the varices below knee, those varices runs along the medial and lateral aspects of the calf.

GSV measures 10-13mm into the thigh and 7.8mm to 11.5mm below knee.

Calf perforator ~15cm above the ankle is incompetent, measures 7.0mm.

SPJ and SSV is patent and competent.

Event Number : E-25790881

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

Clinically left GSV primary reflux - please do venous duplex and map anatomy. Also check aorta and popliteals for any sign of aneurysmal disease

** Entered by Ordercomms **

Provisional Diagnosis: Left leg venous reflux

Clinical History :

US Doppler Veins Leg Lt [RDE26318372] :

CFV, PFV, FV, Pop V patent and competent.

SFJ patent and incompetent, refluxes into the GSV, GSV drains into the varices into mid thigh, those varices run along the medial aspect of the thigh and which descends down to the knee and below , knee and refluxes into more varices.

GSV measures 4.0mm to 10mm from SFJ - knee.

SPJ is patent and competent.

SSV is patent and competent.

Event Number : E-25800968

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : S CHOKSY, CLACTON AND DISTRICT HOSPITAL, CLACTON AND DISTRICT HOSPITAL, TOWER R

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

please assess deep and superficial veins, ? suitable for venous intervention

** Entered by Ordercomms **

Provisional Diagnosis: please assess deep and superficial veins, ? suitable for venous intervention

Clinical History :

US Doppler Veins Leg Lt [RDE26305829] :

Technically difficult scan.

CFV, FV patent and incompetent.

Pop V patent and competent.

SFJ patent and incompetent, refluxes into the AASV.

AASV measures 5.0mm to 6.3mm into the thigh, dimension as per diagram, scanned to EVOLVE.

Calf perforator is incompetent, measures 6.8mm, drains into the GSV.

GSV is competent above knee and incompetent below knee, measures 3.5mm to 6.6mm below knee.

SPJ is patent and incompetent.

SSV is patent and incompetent, measures 4.1mm to 4.7mm.

Event Number : E-25789795

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

Bilateral leg swelling, evidence of venous hypertension : suitable for venous intervention.
Please scan both deep and superficial veins

** Entered by Ordercomms **

Provisional Diagnosis: Bilateral leg swelling, evidence of venous hypertension : suitable for venous intervention. Please scan both deep and superficial veins

Clinical History :

US Doppler Veins Leg Lt [RDE26305721] :

CFV, FV, POP V patent and competent.
SFJ is patent competent.
GSV patent and competent.
SPJ patent and competent.
SSV patent and competent.

US Doppler Veins Leg Rt [RDE26339105] :

CFV, FV, POP V patent and competent.
SFJ is patent competent.
GSV patent and competent.
SPJ patent and competent.
SSV patent and competent.

Event Number : E-25789697

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, CLACTON AND DISTRICT HOSPITAL, CLACTON AND DISTRICT H

Examinations : **US Doppler Veins Leg Lt,US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

Bilateral varicose veins ? suitable for intervention. Please assess deep and superficial veins

** Entered by Ordercomms **

Provisional Diagnosis: Bilateral varicose veins ? suitable for intervention. Please assess deep and superficial veins

Clinical History :

US Doppler Veins Leg Lt [RDE26305720] :

CFV, FV, POP V patent and competent.

SFJ patent and incompetent, refluxes into the GSV.

GSV refluxes into the varices into the mid thigh and knee and below knee.

GSV measures 3.7mm to 16mm, dimensions and configurations of the GSV as per diagram, scanned to EVOLVE.

SPJ not detected.

SSV is patent and competent.

Event Number : E-25789696

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

Right leg several episodes of thrombophlebitis, please assess Dv and SV ? DVT in past

** Entered by Ordercomms **

Provisional Diagnosis: Right leg several episodes of thrombophlebitis, please assess Dv and SV ? DVT in past

Clinical History :

US Doppler Veins Leg Rt [RDE26307034] :

CFV, FV, POP V patent and competent.

SFJ patent and incompetent, refluxes into the GSV.

GSV measures 6.0-11mm from SFJ to the knee and 4mm below knee.

GSV partially thrombosed into the distal thigh, the thrombus extended into the knee and below knee.

SPJ and SSV is patent and competent.

Event Number : E-25790882

Courier :

Examination Date : **21-Aug-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 21-Aug-2022
Typed By : Das Rajib Vascular Studies 21-Aug-2022

Clinical History :

Bilateral varicose veins ? suitable for intervention. Please assess deep and superficial veins

** Entered by Ordercomms **

Provisional Diagnosis: Bilateral varicose veins ? suitable for intervention. Please assess deep and superficial veins

Clinical History :

US Doppler Veins Leg Rt [RDE26305718] :

CFV, FV, POP V patent and competent.

SFJ patent and incompetent, refluxes into the AASV.

AASV refluxes into the medial and later aspects of the thigh and calf. AASV measures 8.3mm to 15.0mm in the thigh, dimensions and configurations as per diagram, scanned to EVOLVE.

GSV is patent and competent.

SPJ not detected.

SSV is patent and competent.

Event Number : E-25789694

Courier :

Examination Date : 21-Aug-2022

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

Visible varicose veins to R leg, healed venous ulcer ? suitable for venous intervention.
Please assess both deep and superficial veins

** Entered by Ordercomms **

Provisional Diagnosis: Visible varicose veins to R leg, healed venous ulcer ? suitable for venous intervention. Please assess both deep and superficial veins

Clinical History :

US Doppler Veins Leg Rt [RDE26305710] :

Limited scan due to patient body habitus.

CFV, FV, Pop V is patent and competent.

SFJ is patent incompetent, drains into GSV, GSV drains into the varices below knee.

GSV measure 5.0mm to 8.3mm into the thigh.

GSV measures 2.5mm - 4.7mm below knee.

SPJ and SSV is patent competent.

Event Number : E-25789687

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

Bi lateral varicose veins , haemosiderin staining, itching and discomfort, previous surgery right leg

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral varicose veins , haemosiderin staining, itching and discomfort, previous surgery right leg

Clinical History :

US Doppler Veins Leg Rt [RDE26305568] :

Limited and difficult scan due to patient body habitus/ High BMI.

CFV, FV, POP V is patent and competent.

SFJ is patent and competent.

GSV into the distal thigh and knee is patent and incompetent, drains into the varices.

GSV measures 1.4mm to 4.7mm.

GSV below knee is small calibre, which is patent and competent.

SPJ and SSV is patent and competent.

Event Number : E-25789549

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

pt requires bilateral venous scan, has achy/pain in lower limbs, swelling to both legs

** Entered by Ordercomms **

Provisional Diagnosis: pt requires bilateral venous scan, has achy/pain in lower limbs, swelling to both legs

Clinical History :

US Doppler Veins Leg Rt [RDE26305713] :

CFV, FV, POP V, SFJ, SPJ, GSV, SSV is patent and competent.

Event Number : E-25789690

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

Patient reviewed in clinic with signs of bilateral chronic venous insufficiency
bilateral lower limb varicose veins
Previous request cancelled

** Entered by Ordercomms **

Provisional Diagnosis: Patient reviewed in clinic with signs of bilateral chronic venous insufficiency
bilateral lower limb varicose veins
Previous request cancelled

Clinical History :

US Doppler Veins Leg Rt [RDE26370669] :

Technically difficult scan.

CFV, PFV, FV patent and competent.

Pop V is patent and incompetent.

SFJ is patent and competent.

GSV into the thigh is patent and competent, GSV below knee is incompetent, GSV measures 2.4mm to 4.1mm, dimensions as per diagram.

SSV is patent patent incompetent, SSV measures 2.8mm to 3.8mm.

SSV appeared to have some intimal thickening from mid to distal calf due to calcification.

Calf perforator is incompetent, measures 3.1mm.

Dimensions and configurations as per diagram, scanned to EVOLVE.

Event Number : E-25847881

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : GURUNATHAN MANI SIVARAMAN, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

45 year old lady with episode of thrombophlebitis in right calf.
For right leg venous duplex to find if she has superficial venous thrombosis and confirm if there is superficial venous incompetence which would be amenable to endovenous treatment.
Thanks.

** Entered by Ordercomms **

Provisional Diagnosis: ?thrombophlebitis ?superficial venous incompetence

Clinical History :

US Doppler Veins Leg Rt [RDE26389471] :

CFV, FV, PFV, POP v patent and competent.
SFJ is patent and incompetent, refluxes into the AASV.
AASV is incompetent, measures 4.3mm to 6.5mm into the thigh, which joins with the GSV below knee and drains into the varices.
GSV is patent and competent.
SPJ and SSV is patent and competent.

Dimensions and configurations of the AASV as per diagram, scanned to EVOLVE.

Event Number : E-25864679

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : HOWARD ADAM, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL HOSPITAL, TURN

Examinations : **US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

78F. Bilateral swollen legs and leg discomfort (vague symptoms). Haemosiderin deposition, swelling, thread veins. Known CCF, pacemaker. Symptoms not in keeping with arterial disease.

?venous disease reflux

** Entered by Ordercomms **

Provisional Diagnosis: ?venous disease

Clinical History :

US Doppler Veins Leg Lt [RDE26305707] :

Limited scan due to subcutaneous oedema below knee.

CFV, FV, POp V is patent and competent.

SFJ is patent and competent.

GSV is patent and competent into the thigh.

GSV patent and incompetent below knee, measures 3.1mm to 5.0mm.

SPJ and SSV is patent and competent.

US Doppler Veins Leg Rt [RDE26339095] :

Limited scan due to subcutaneous oedema below knee.

CFV, FV, POp V is patent and competent.

SFJ is patent and competent.

GSV is patent and competent into the thigh.

GSV patent and incompetent below knee, measures 3.3mm to 5.6mm.

SPJ and SSV is patent and competent.

Event Number : E-25789685

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : S CHOKSY, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL HOSPITAL, TURNER R

Examinations : **US Doppler Veins Leg Lt,US Doppler Veins Leg Rt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

Bi lateral varicose veins , haemosiderin staining, itching and discomfort, previous surgery right leg

** Entered by Ordercomms **

Provisional Diagnosis: Bi lateral varicose veins , haemosiderin staining, itching and discomfort, previous surgery right leg

Clinical History :

US Doppler Veins Leg Lt [RDE26305567] :

Difficult and limited scan due to patient body habitus.

CFV, FV, POp V is patent and competent.

SFJ is absent.

There is recurrent incompetent tortuous GSV into the distal thigh, drains into the varices which runs along the medial and later aspect of the distal thigh and below knee.

SPJ and SSV is patent and competent.

Event Number : E-25789548

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

pt requires bilateral venous scan, has achy/pain in lower limbs, swelling to both legs

** Entered by Ordercomms **

Provisional Diagnosis: pt requires bilateral venous scan, has achy/pain in lower limbs, swelling to both legs

Clinical History :

US Doppler Veins Leg Lt [RDE26305712] :

CFV, FV, POP V, SFJ, SPJ, GSV, SSV is patent and competent.

Event Number : E-25789689

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

C/O bilateral leg swelling, Left worse. some evidence of varicose veins, please assess both superficial and depp veins

** Entered by Ordercomms **

Provisional Diagnosis: C/O bilateral leg swelling, Left worse. some evidence of varicose veins, please assess both superficial and depp veins

Clinical History :

US Doppler Veins Leg Lt [RDE26305705] :

CFV, FV, POP V patent and competent. SFJ, SPJ, GSV, SSV is patent and competent.

Event Number : E-25789683

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : UNKNOWN NURSE SPECIALIST, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL H

Examinations : **US Doppler Veins Leg Lt**

VERIFIED Verified By : Das Rajib Vascular Studies 18-Sep-2022
Typed By : Das Rajib Vascular Studies 18-Sep-2022

Clinical History :

Patient reviewed in clinic with signs of bilateral chronic venous insufficiency
bilateral lower limb varicose veins
Previous request cancelled

**** Entered by Ordercomms ****

Provisional Diagnosis: Patient reviewed in clinic with signs of bilateral chronic venous insufficiency
bilateral lower limb varicose veins
Previous request cancelled

Clinical History :

US Doppler Veins Leg Lt [RDE26370670] :

CFV, PFV is patent competent.
FV and Popliteal vein patent and incompetent.
SFJ appeared to be patent and competent.
GSV is patent and incompetent, measures 3.4mm to 5.6mm.
SSV is patent and competent into the proximal segment, however mid calf - below is incompetent.
SSV measures 2.1mm to 3.2mm.

GSV and SSV dimensions and configurations as per diagram, scanned to EVOLVE.

Event Number : E-25847882

Courier :

Examination Date : **18-Sep-2022**

Ref. Source : GURUNATHAN MANI SIVARAMAN, COLCHESTER GENERAL HOSPITAL, COLCHESTER GENERAL

Examinations : **US Doppler Veins Leg Lt**