



Patient **Tzvetana Downes**
D.O.B. **18/08/1957**

NHS No **624 437 8695**
Patient Ref **5276447**

Reason Varicose vein
Outcome Incompetence

Right		Left	
Deep Veins	Patency	Competency	Competency
Common Iliac Vein			
External Iliac Vein			
Internal Iliac Vein			
Common Femoral Vein		Patent	Competent
Profunda Vein		Patent	Competent
Superficial Femoral Vein		Patent	Competent
Popliteal Vein		Patent	Competent
Posterior Tibial Vein		Patent	Competent
Anterior Tibial Vein		Patent	Competent
Peroneal Vein		Patent	Competent
Soleal Vein		Patent	Competent
Gastrocnemius		Patent	Competent
Superficial Veins			
Saphenofemoral Junction		Patent	Incompetent
L Saphenous Vein Above		Patent	Incompetent
L Saphenous Vein Below		Patent	Competent
Vein of Giacomini		Patent	Competent
Saphenopopiteal Junction		Not Identified	
S Saphenous Vein		Patent	Competent
Evidence of D.V.T.			
Above the knee		No	
Popliteal		No	
Below the knee		No	

Notes

LEFT LOWER LIMB VENOUS DUPLEX ASSESSMENT

Iliac veins not viewed. Flow in the common femoral vein is phasic with respiration and responds normally to a Valsalva manoeuvre, suggesting proximal vein patency. All visualised deep veins appear patent and competent with no evidence of previous DVT.

All measurements are proximal to the medial malleolus unless otherwise stated.

Sapheno-femoral junction (SFJ) is incompetent. Long Saphenous vein (LSV) is incompetent in the thigh. LSV leaves the fascia in the mid thigh at 55cm forming varicosities. A competent LSV joins the fascia in the proximal calf at 25cm, remaining competent to the ankle. Isolated venous scarring noted in the proximal calf varicosities.

Assessed by Sharifa Kiyegga

Printed on 25/01/2019 at 4:45 pm

Checked by



Varicose Vein

Arun Balakrishnan

Examined **18/01/2019 09:20**

Page 2 of 2

Reference

Accession **CR-18-0065857**


Patient **Tzvetana Downes**
D.O.B. **18/08/1957**

NHS No **624 437 8695**
Patient Ref **5276447**

Transverse (AP) dimensions of LSV: Proximal thigh - 1.23cm, Mid- thigh - 0.98cm.

Sapheno-popliteal junction (SPJ) was not identified.

Short Saphenous vein (SSV) is competent and is continuous with a competent vein of Giacomini.



Assessed by **Sharifa Kiyegga**

Printed on 25/01/2019 at 4:45 pm

Checked by _____