



Patient **John Murphy**
D.O.B. **04/06/1956**

NHS No **452 299 8414**
Patient Ref **5175628**

Reason Varicose vein
Outcome Competent

	Right		Left	
Deep Veins	Patency	Competency	Patency	Competency
Common Iliac Vein				
External Iliac Vein				
Internal Iliac Vein				
Common Femoral Vein	Widely Patent	Competent	Widely Patent	Competent
Profunda Vein	Widely Patent	Competent	Widely Patent	Competent
Superficial Femoral Vein	Widely Patent	Competent	Widely Patent	Competent
Popliteal Vein	Widely Patent	Competent	Widely Patent	Competent
Posterior Tibial Vein	Patent	Competent	Patent	Competent
Anterior Tibial Vein	Patent	Competent	Patent	Competent
Peroneal Vein	Patent	Competent	Patent	Competent
Soleal Vein	Patent	Competent	Patent	Competent
Gastrocnemius	Patent	Competent	Patent	Competent
Superficial Veins				
Saphenofemoral Junction	Patent	Competent	Patent	Competent
L Saphenous Vein Above	Patent	Competent	Patent	Competent
L Saphenous Vein Below	Patent	Competent	Patent	Competent
Vein of Giacomini	Patent	Competent	Patent	Competent
Saphenopopiteal Junction	Patent	Competent	Not Identified	
S Saphenous Vein	Patent	Competent	Patent	Competent
Evidence of D.V.T.				
Above the knee	No		No	
Popliteal	No		No	
Below the knee	No		No	

Notes

BILATERAL LOWER LIMB VENOUS DUPLEX ASSESSMENT

Iliac veins not viewed. Flow in the common femoral vein is phasic with respiration and responds normally to a Valsalva manoeuvre, suggesting proximal vein patency bilaterally. All visualised deep veins proximal to and including the popliteal vein appear widely patent and competent with no evidence of previous DVT, bilaterally. All visualised deep calf vein appears patent and competent with no evidence of previous DVT, bilaterally.

All measurements are proximal to the medial malleolus unless otherwise stated.

RIGHT

Sapheno-femoral junction (SFJ) is competent. Long Saphenous vein (LSV) is competent along its length.

Assessed by Sharifa Kiyegga

Printed on 24/12/2018 at 5:52 pm

Checked by _____



Patient

John Murphy

NHS No

452 299 8414

D.O.B.

04/06/1956

Patient Ref

5175628

Short Saphenous vein (SSV) is competent and is continuous with a competent vein of Giacomini. The SSV appears to have a common junction with a pair of gastrocnemius veins, which is competent.

LEFT

Sapheno-femoral junction (SFJ) is competent. Long Saphenous vein (LSV) is competent along its length.

Sapheno-popliteal junction (SPJ) was not identified.

Short Saphenous vein (SSV) is competent and is continuous with a competent vein of Giacomini.