



Patient **John Thelwall**
D.O.B. **18/01/1955**

NHS No **462 003 0759**
Patient Ref **5592579**

Reason Varicose vein
Outcome Incompetence

Right		Left	
Deep Veins	Patency	Competency	Competency
Common Iliac Vein			
External Iliac Vein			
Internal Iliac Vein			
Common Femoral Vein		Widely Patent	Competent
Profunda Vein		Widely Patent	Competent
Superficial Femoral Vein		Widely Patent	Competent
Popliteal Vein		Widely Patent	Competent
Posterior Tibial Vein		Widely Patent	Competent
Anterior Tibial Vein		Widely Patent	Competent
Peroneal Vein		Widely Patent	Competent
Soleal Vein		Patent	Competent
Gastrocnemius		Patent	Competent
Superficial Veins			
Saphenofemoral Junction		Patent	Competent
L Saphenous Vein Above		Widely Patent	Isolated Incompetence
L Saphenous Vein Below		Widely Patent	Isolated Incompetence
Vein of Giacomini		Not Identified	
Saphenopopiteal Junction		Patent	Competent
S Saphenous Vein		Patent	Competent
Evidence of D.V.T.			
Above the knee		No	
Popliteal		No	
Below the knee		No	

Notes

LEFT LOWER LIMB VENOUS DUPLEX ASSESSMENT

Iliac veins not viewed. Flow in the common femoral vein is phasic with respiration and responds normally to a Valsalva manoeuvre, suggesting proximal vein patency. All visualised deep veins appear widely patent and competent with no evidence of previous DVT.

All measurements are proximal to the medial malleolus unless otherwise stated.

Sapheno-femoral junction (SFJ) is competent. small tortuous veins noted to track to from the junction, reforming a competent Long Saphenous vein (LSV) 4.5cm, distal to the the junction. An incompetent perforator off the LSV noted in the mid thigh at 63.5cm. Distal to this the LSV is incompetent to the very proximal calf/knee region (AP diameter - 0.89-0.85cm). An incompetent branch leaves the fascia in the very

Assessed by Sharifa Kiyegga

Printed on 24/12/2018 at 5:58 pm

Checked by



Varicose Vein

Gareth Harrison

Examined **22/11/2018 10:46**

Page 2 of 2

Reference

Accession **CR-18-0061099**

Patient **John Thelwall**


NHS No **462 003 0759**

D.O.B. **18/01/1955**

Patient Ref **5592579**

proximal calf at 39cm, distal to which the LSV is competent. The aforementioned branch communicates with the LSV in the mid calf at 30cm. Distal to this the LSV is incompetent (AP diameter - 0.62cm). An incompetent branch leaves the fascia in the distal calf at 16cm. Distal this the LSV is competent to the ankle.

Sapheno-popliteal junction (SPJ) is patent and competent. SSV is patent and competent along its length.



Assessed by **Sharifa Kiyegga**

Printed on 24/12/2018 at 5:58 pm

Checked by _____