

**Varicose Vein****Gareth Harrison**Examined **16/11/2018 13:42**

Page 1 of 2

Reference

Accession **CR-18-0056604****Patient** **Keith Doyle**
D.O.B. **12/08/1953****NHS No** **452 240 8684**
Patient Ref **5279821****Reason** Varicose vein**Outcome** Competent

	Right		Left	
Deep Veins	Patency	Competency	Patency	Competency
Common Iliac Vein				
External Iliac Vein				
Internal Iliac Vein				
Common Femoral Vein	Widely Patent	Competent		
Profunda Vein	Widely Patent	Competent		
Superficial Femoral Vein	Widely Patent	Competent		
Popliteal Vein	Widely Patent	Competent		
Posterior Tibial Vein	Patent	Competent		
Anterior Tibial Vein	Patent	Competent		
Peroneal Vein	Patent	Competent		
Soleal Vein	Patent	Competent		
Gastrocnemius	Patent	Competent		

Superficial Veins

Saphenofemoral Junction	Patent	Competent
L Saphenous Vein Above	Patent	Competent
L Saphenous Vein Below	Patent	Competent
Vein of Giacomini	Patent	Competent
Saphenopopiteal Junction	Patent	Competent
S Saphenous Vein	Patent	Competent

Evidence of D.V.T.

Above the knee	No
Popliteal	No
Below the knee	No

Notes**RIGHT LOWER LIMB VENOUS DUPLEX ASSESSMENT:**

Iliac veins not viewed. Flow in the common femoral vein is phasic with respiration and responds normally to a Valsalva manoeuvre, suggesting proximal vein patency. All visualised deep veins appear patent and competent with no evidence of previous DVT.

All measurements are proximal to the medial malleolus unless otherwise stated.

Sapheno-femoral junction (SFJ) is competent. Long Saphenous vein (LSV) is competent along its length.

Short Saphenous vein (SSV) is competent and is continuous with a competent vein of Giacomini.

Assessed by **Sharifa Kiyegga**

Printed on 24/12/2018 at 5:57 pm

Checked by _____

**Varicose Vein****Gareth Harrison**Examined **16/11/2018 13:42**

Page 2 of 2

Reference

Accession **CR-18-0056604**

Patient

Keith Doyle

NHS No

452 240 8684

D.O.B.

12/08/1953

Patient Ref

5279821

Sapheno-popliteal junction (SPJ) is patent and competent.

Additional comment: A non-vascularised mixed echogenic mass, measuring 2.2cm ML and 0.7cm AP, identified around the posterior ankle ?ruptured Achilles.